

8		7		6		5		4		3		2		1	
✓ QTY	DESIGNATOR	PART NUMBER	SIZE H x W x D INCHES (MM)		CAPACITY CFM (CMH)	MEDIA AREA FT <sup>2</sup> (M <sup>2</sup> )	SHIPPING WGT. LBS. (KG)		GENERAL INFORMATION						
	CIZP-7I-242412-4V-21-00	M20000036 <sup>△</sup> A	23.31"x23.31"x11.81" (592mm x 592mm x 300mm)		2000 (3398)	87.651 (8.143)	21 (10)		FRAME	POLYSTYRENE					
F	CIZP-7I-202412-4V-21-00	M20000051 <sup>△</sup> A	19.31"x23.31"x11.81" (490mm x 592mm x 300mm)		1650 (2803)	71.580 (6.650)	15 (7)		FRAME STYLE	HEADERED					
	CIZP-7I-122412-4V-21-00	M20000081	19.38"x19.38"x11.50" (492mm x 492mm x 292mm)		1388 (2358)	50.3 (4.7)	13 (6)		MEDIA	SYNTHETIC FIBER, WITH EMBEDDED MEDIA FOR OZONE, VOC'S AND HYDROCARBONS					
	CIZP-7I-122412-4V-21-00	M20000052 <sup>△</sup> A	11.31"x23.31"x11.81" (287mm x 592mm x 300mm)		1000 (1699)	39.439 (3.664)	11 (5)		INCINERABLE	YES					
									TEMPERATURE	104° F (40° C)					
									HUMIDITY	70%					
									MERV RATING	15					
									OZONE (O <sub>3</sub> ) RATING	9					
									INITIAL PRESSURE DROP	0.52" W.G. (129 Pa)					
									RECOMMENDED MAXIMUM PRESSURE DROP	1.50" W.G. (374 Pa)					

  

1" NOM.

**CUSTOMER APPROVAL BLOCK**

CUSTOMER \_\_\_\_\_

CUSTOMER PO \_\_\_\_\_

YOUR APPROVAL OF THIS PRINT AUTHORIZES CAMFIL TO PROCEED WITH MATERIAL PROCUREMENT, TOOLING AND PRODUCT FABRICATION. ANY CHANGES MADE AFTER APPROVAL MAY INCUR FURTHER EXPENSES TO THE CUSTOMER

SIGNATURE / DATE \_\_\_\_\_

© Camfil <http://www.camfil.us>

DESCRIPTION:  
**CITYCARB I  
V-CELL CARTRIDGE**

APPROVED BY:	DATE:	DRAWN BY:	DATE:
TLC	9/18/17	DJD	9/18/17

SHEET	DRAWING NUMBER	REV.
1 of 1	2120-003	A

  

△	LEB 7-7-23	UPDATED "D" DIMENSION WAS 11.50"	AS 7-7-23
REV.	DRAWN BY DATE	DESCRIPTION:	APPR. BY DATE