



## ADVANTAGES

- Tapered pockets
- Low pressure drop
- Incinerable bags
- High dust holding capacity
- Resistant media

<b>Application</b>	Installations exposed to turbulence and/or recurrent high humidity
<b>Type</b>	Bag Filter
<b>Frame</b>	Galvanised steel;Plastic moulded
<b>Gasket</b>	Polyurethane
<b>Media</b>	Synthetic
<b>Rec. final pressure drop</b>	250 Pa
<b>Temperature max</b>	70°C



Hi-Cap GT is a high quality filter, available for the removal of coarse particles. It allows for a secure and efficient filtration in industrial environments where large amounts of dust are present. Long experience and continuous R&D has optimised the product for impressive filtration at a low cost.

Type	Material	EN779	Dimensions WxHxD (mm)	Air Flow/pressure drop (m <sup>3</sup> /h/Pa)	Bags	Media area (m <sup>2</sup> )	Weight (kg)
Hi-Cap	Galvanised steel	G4	592x592x580	3400/35	6	4,1	2
XLS4	Plastic	G4	592x592x520	3400/35	6	3,7	1,2
XLS4	Plastic	G4	592x592x370	3400/40	6	2,7	1,0
XLT	Plastic	G4	490x490x370	3400/35	8	2,9	1,2
HC66	Galvanised steel	G4	592x592x360	3400/40	6	2,7	1,7
Hi-Cap	Galvanised steel	G4	592x592x195	3400/45	8	1,8	1,6

Hi-Cap other dimensions available on request

[www.camfil.com](http://www.camfil.com)

As part of our program for continuous improvement, Camfil reserves the right to change specifications without notice. 2019-02-14

