



ADVANTAGES

- High media cleanliness
- Low pressure drop
- Wide range of dimensions

Application	Clean room recirculation air, clean room make up air
Type	Box Filter
Frame	Stainless steel;Galvanised steel
Sealant	Polyurethane
Temperature max	40°C
RH. max	70%
Particle cleanliness	ISO Class 6
Comment	Gasket: 01 = downstream, 10 = upstream Outgassing: Individueel outgassing tested for VOC emissions on request

Type	Target contaminant	Dimensions WxHxD (mm)	Air Flow/pressure drop (m³/h/Pa)	Weight (kg)
NXPCL3	Organics	610x610x292	2600/60	15
NXPCC3	Acids	610x610x292	2600/60	15
NXPB2	Bases	610x610x292	2600/60	15
NXPB3	Bases	610x610x292	2600/60	15
NXPCL3	Organics	595x595x292	2600/60	15
NXPCC3	Acids	595x595x292	2600/60	15
NXPB2	Bases	595x595x292	2600/60	15
NXPB3	Bases	595x595x292	2600/60	15
NXPCL3	Organics	592x592x292	2600/60	15
NXPCC3	Acids	592x592x292	2600/60	15
NXPB2	Bases	592x592x292	2600/60	15
NXPB3	Bases	592x592x292	2600/60	15
NXPCL3	Organics	305x610x292	1100/60	8
NXPCC3	Acids	305x610x292	1100/60	8
NXPB2	Bases	305x610x292	1100/60	8
NXPB3	Bases	305x610x292	1100/60	8
NXPCL3	Organics	289x595x292	1100/60	8
NXPCC3	Acids	289x595x292	1100/60	8
NXPB2	Bases	289x595x292	1100/60	8
NXPB3	Bases	289x595x292	1100/60	8
NXPCL3	Organics	287x592x292	1100/60	8
NXPCC3	Acids	287x592x292	1100/60	8
NXPB2	Bases	287x592x292	1100/60	8
NXPB3	Bases	287x592x292	1100/60	8

For media choice, please refer to Gigapleat NXPH

www.camfil.com

As part of our program for continuous improvement, Camfil reserves the right to change specifications without notice.

2019-04-17

