



## Advantages

- Compact design concept
- Very high efficiency
- Incinerable
- Scannable

**Application:** HEPA filter for standard applications

**Type:** Box Filter

**Frame:** MDF

**Gasket:** Polyurethane, endless foamed

**Media:** Glass fiber

**Separator:** Hot Melt

**Sealant:** Polyurethane

**EN 1822 (Efficiency @ MPPS):** H13 (≥99,95%)

**Rec. final pressure drop:** 2x Initial pressure drop

**Max. final pressure drop:** 800 Pa

**Maximum airflow:** Nominal flow rate (if not, efficiency drops)

**Temperature max:** 70°C

**RH. max:** 100%

**Remarks:** All filters scan tested acc. EN 1822

**Other options available:** Galvanized frame

Type	EN1822	Dimensions WxHxD (mm)	Air Flow/pressure drop (m³/h/Pa)	Media area (m²)	Weight (kg)
CMM13-305x305x292-P	H13	305x305x292	435/250	3,4	4
CMM13-305x610x292-P	H13	305x610x292	935/250	7,3	7,2
CMM13-457x457x292-P	H13	457x457x292	1050/250	8,5	8
CMM13-457x610x292-P	H13	457x610x292	1470/250	11,5	10
CMM13-610x610x292-P	H13	610x610x292	2050/250	16	13
CMM13-762x610x292-P	H13	762x610x292	2650/250	20	16,2
CMT13-305x305x292-P	H13	305x305x292	535/250	4,7	5
CMT13-305x610x292-P	H13	305x610x292	1155/250	10,1	9
CMT13-457x457x292-P	H13	457x457x292	1260/250	11,6	10
CMT13-457x610x292-P	H13	457x610x292	1800/250	15,8	12
CMT13-610x610x292-P	H13	610x610x292	2450/250	21,3	15
CMT13-762x610x292-P	H13	762x610x292	3110/250	27,1	18

Pressure drop: ±10%

Type -P = 1PU gasket placed upstream

Other sizes are available on request