

Advantages

- Range of standard sizes
- Compact design
- Very high efficiency
- H13 are individually tested

Application:Very high efficiency final filtration in air conditioning systems housings-ducts or diffusers

Type:Box Filter

Gasket:Polyurethane, endless foamed

Media:Glass fiber

Separator:Hot Melt

Max. final pressure drop:500

Temperature max:70°C

Mounting frames:Mounting systems: FCB Housings, Ducts, Diffusers, CAMSAFE

Fire rating: DIN 53438 Class F1



Model Name	EN1822	Dimensions WxHxD (mm)	Air Flow/pressure drop (m ³ /h/Pa)	Area (m ²)	Weight (kg)
CED13-305x305x150-PO	H13	305x305x150	317/250	2,4	4
CED13-457x457x150-PO-S	H13	457x457x150	726/250	5,5	10
CED13-575x575x150-PO-S	H13	575x575x150	1161/250	8,7	11
CED13-305x610x150-PO-S	H13	305x610x150	645/250	4,9	6
CED13-610x610x150-PO-S	H13	610x610x150	1305/250	9,8	12
CED13-762x610x150-PO-S	H13	762x610x150	1635/250	12,3	13,5
CED13-914x610x150-PO-S	H13	914x610x150	1958/250	14,7	15
CED13-1219x610x150-PO-S	H13	1219x610x150	2618/250	19,7	18
CEX13-305x305x150-PO	H13	305x305x150	380/250	3,2	4
CEX13-457x457x150-PO-S	H13	457x457x150	867/250	7,4	10
CEX13-575x575x150-PO-S	H13	575x575x150	1384/250	12	11
CEX13-305x610x150-PO-S	H13	305x610x150	773/250	6,6	6
CEX13-610x610x150-PO-S	H13	610x610x150	1565/250	13,4	12
CEX13-762x610x150-PO-S	H13	762x610x150	1957/250	16,7	13,5
CEX13-914x610x150-PO-S	H13	914x610x150	2348/250	20,1	15
CEX13-1219x610x150-PO-S	H13	1219x610x150	3131/250	27,1	18
CEG13-305x610x292-PO-S	H13	305x610x292	893/250	7,8	7
CEG13-457x610x292-PO-S	H13	457x610x292	1340/250	11,7	9,9
CEG13-610x610x292-PO-S	H13	610x610x292	1804/250	15,7	12,5
CEG13-762x610x292-PO-S	H13	762x610x292	2251/250	19,6	16
CET13-305x610x292-PO-S	H13	305x610x292	1230/250	11,7	7
CET13-457x610x292-PO-S	H13	457x610x292	1850/250	17,5	9,9

Model Name	EN1822	Dimensions WxHxD (mm)	Air Flow/pressure drop (m ³ /h/Pa)	Area (m ²)	Weight (kg)
CET13-610x610x292-PO-S	H13	610x610x292	2485/250	23,5	12,5
CET13-762x610x292-PO-S	H13	762x610x292	3100/250	29,4	16
CED11-305x305x150-PO	E11	305x305x150	290/125	2,2	4
CED11-457x457x150-PO	E11	457x457x150	660/125	4,9	10
CED11-575x575x150-PO	E11	575x575x150	1055/125	7,8	11
CED11-305x610x150-PO	E11	305x610x150	590/125	4,4	6
CED11-610x610x150-PO	E11	610x610x150	1190/125	8,9	12
CED11-762x610x150-PO	E11	762x610x150	1490/125	11,1	13,5
CED11-914x610x150-PO	E11	914x610x150	1790/125	13,3	15
CED11-1219x610x150-PO	E11	1219x610x150	2380/125	17,7	18
CEX11-305x305x150-PO	E11	305x305x150	380/125	3	4
CEX11-457x457x150-PO	E11	457x457x150	865/125	6,9	10
CEX11-575x575x150-PO	E11	575x575x150	1385/125	11	11
CEX11-305x610x150-PO	E11	305x610x150	770/125	6,1	6
CEX11-610x610x150-PO	E11	610x610x150	1560/125	12,4	12
CEX11-762x610x150-PO	E11	762x610x150	1950/125	15,5	13,5
CEX11-914x610x150-PO	E11	914x610x150	2335/125	18,6	15
CEX11-1219x610x150-PO	E11	1219x610x150	3120/125	24,8	18
CEG11-305x610x292-PO	E11	305x610x292	950/125	7,2	7,2
CEG11-457x610x292-PO	E11	457x610x292	1420/125	10,8	9,9
CEG11-610x610x292-PO	E11	610x610x292	1900/125	14,4	12,5
CEG11-762x610x292-PO	E11	762x610x292	2380/125	18	16
CET11-305x610x292-PO	E11	305x610x292	1190/125	10,9	7,2
CET11-457x610x292-PO	E11	457x610x292	1780/125	16,4	10
CET11-610x610x292-PO	E11	610x610x292	2380/125	21,8	13
CET11-762x610x292-PO	E11	762x610x292	2975/125	27	16,2

*Other sizes are available on request